

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Application

Inventor(s)	Fuoss, Paul Henry	
Application No	09/898,209	
Confirmation No.	2360	
Filing Date	07/03/2001	
Examiner:	Elahee, Md S.	
Group Art Unit	2645	
Title	Method and Apparatus for Controlling a Network Device	

COMMISSIONER FOR PATENTS P.O. BOX 1450 ALEXANDRIA, VA 22313-1450 **RECEIVED**

APR 2 3 2004

ATTENTION: Patent Office Draftsperson

Technology Center 2600

Please make of record the attached 5 which are submitted for approval.	sheet(s) of formal drawing for above-identified application
$oxed{oxed}$ These drawings are suthe application.	ibmitted to replace the informal drawings filed with
These drawings are sometime made in Paper No	ubmitted in response to the Examiner's objections
	Illowed by the Examiner on and the formal to the Examiner's Notice of Allowability and the awing Review attached to Paper No.
Date: April 19, 2004 Canavan & Monka 805 Partridge Drive Bridgewater, NJ 08807	Respectfully, Paul Henry Fuoss Robert T. Canavan, Attorney Reg. No. 37592 T: 908-707-1568

Signature of Person Mailing Correspondence

Robert T. Canavan

Typed or Printed Name of Person Mailing Correspondence



1999-0591 Replacement Sheet

4/27/04

FIG. 1






FIG. 2

	200		
		210	220
	LOOKUP TABLE	PREDETERMINED IDENTIFIER	PREDETERMINED COMMAND
230 ~	ENTRY 1a	DEFAULT INSERTION COMMAND	TransferActiveCall, NetworkAddress1, PhoneNumber1
235 ~	ENTRY 1b	DEFAULT REMOVAL COMMAND	TransferActiveCall, NetworkAddress1, CellPhoneNumber
240 ~	ENTRY 2	I1	TransferActiveCall, NetworkAddress2, PhoneNumber2
250 🗸	ENTRY 3	I2	TransferActiveCall, NetworkAddress3, PhoneNumber3
260 🗸	ENTRY 4	I3 255.255.255.255	TransferActiveCall, NetworkAddress3, 255.255.255
270 ~	ENTRY N	I4 255.255.255.255 7325551212	TransferActiveCall, 255.255.255.255 (732) 555-1212
280 🗸	NONE	NONE	TurnOnVoiceMail, 255.255.255.255 7325551212



FIG. 3




FIG. 4






FIG. 5






FIG. 6

	600			
		610	620	
	LOOKUP TABLE	NETWORK ADDRESS	FILTER CONDITION	
630 ~	ENTRY 1	NetworkAddress1	AVAILABLE	
640 ~	ENTRY 2	NetworkAddress2	ACCEPT	
650 ~	ENTRY 3	NetworkAddress3	REJECT	